

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

**Web**: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-EGFR Antibody

**Catalog:** DL94480A

**Synonyms:** ERBB; ERBB1; HER1; Epidermal growth factor

receptor; Proto-oncogene c-ErbB-1; Receptor

tyrosine-protein kinase erbB-1

Immunogen: KLH-conjugated synthetic peptide encompassing a

sequence within the center region of human EGFR.

The exact sequence is proprietary.

Form: Liquid Concentration: 1mg/mL

Size: 100 u1/50 u1 Host: Rabbit

Reactivity: Human, Mouse **Application:** WB, IHC, IF/IC



**Clonality:** Polyclonal **Dilution:** WB (1/500 - 1/1000),

IHC (1/50 - 1/100), IF/IC (1/100 -

1/500)

Entrez Gene: 1956/13649

P00533/Q01279 SwissProt:

**Purification:** The antibody was purified by immunogen affinity

chromatography.

**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

## **WB** description:

Western blot analysis of EGFR expression in MCF7 (A), A549 (B) whole cell lysates.






## **IHC** description:

Immunohistochemical analysis of EGFR staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **IF/ICC description:**

Immunofluorescent analysis of EGFR staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i





**Storage:** Store at -20°C. Avoid repeated freeze / thaw cycles.