

Manufacturer/Supplier:WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTDAddress: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi DistrictWuxi Jiangsu Province, ChinaTELE: 86-510-82732223FAX: 86-510-82720101-8014Web : www.dldevelop.comEmail: info@dldevelop.com.cnservice@dldevelop.com.cn			
Product name:	Rabbit anti-CHSY1 Antibody		
Catalog:	DL94558A		
Synonyms:	CHSY; CSS1; KIAA0990; Chondroitin sulfate synthase 1; Chondroitin glucuronyltransferase 1; Chondroitin synthase 1; ChSy-1; Glucuronosyl-N-acetylgalactosaminyl-proteoglycan 4-beta-N-acetylgalactosaminyltransferase 1; N-acetylgalactosaminyl-proteoglycan 3-b		
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human		
	CHSY1. The exact sequence is proprietary.		
Form: Liquid	Concentration: 1mg/mL		
<b>Size:</b> 100 ul/50 ul	Host: Rabbit		




<b>Reactivity:</b>		Application: WB, IHC	
Human,Mouse,Rat,Bovine			
Clonality: Polyclonal		<b>Dilution:</b> WB (1/500 - 1/1000), IHC (1/50 - 1/100)	
Entrez Gene:	22856/269941		
SwissProt:	Q86X52/Q6ZQ11		
Purification:	The antibody was purified by immunogen affinity chromatography.		
Buffer:	-	Potassium phosphate, 0.87% , pH 7.3, 30% glycerol, and 0.01%	

## **WB description:**

Western blot analysis of CHSY1 expression in HEK293T (A), PC12 (B), AML12 (C) whole cell lysates.

## **DEVELOP**



## **IHC description:**

Immunohistochemical analysis of CHSY1 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.