

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-hnRNP UL2 Antibody			
Catalog:	DL94579A			
Synonyms:	HNRPUL2; Heterogeneous nuclear			
	ribonucleoprote	in U-like pr	rotein 2;	
	Scaffold-attachr	nent factor	A2; SAF-A2	
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
	-		region of human hnRNP	
	UL2. The exact	sequence is	s proprietary.	
		_		
Form: Liquid		Concentr	ation: 1mg/mL	
0, 100 1/50 1			1.4	
Size: 100 ul/50 ul		Host: Rab	obit	
Reactivity: Human, Mouse, Rat		Annlicati	on: WB, IHC	
represented in the second seco				



Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000), IHC (1/50 - 1/100)


Entrez Gene:	221092/68693
SwissProt:	Q1KMD3/Q00PI9
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of hnRNP UL2 expression in Jurkat (A), HepG2 (B), MEF (C), PC12 (D) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of hnRNP UL2 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.