

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-DAP Kinase 2 Antibody			
Catalog:	DL94795A			
g.				
Synonyms:	Death-associated protein kinase 2; DAP kinase 2;			
Synonyms.	DAP-kinase-related protein 1; DRP-1			
	DAF-KIIIase-Iela	ateu protein	1, DKF-1	
Immunagan	KIH conjugated synthetic particle anormassing a			
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
	sequence within the C-term region of human DAP Kinase 2. The exact sequence is proprietary.			
	Kinase 2. The ex	xact sequen	ce is proprietary.	
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human, Mouse		Applicati	on: WB, IHC	
Clonality: Polyclonal		Dilution: WB (1/500 - 1/1000),		




IHC (1/50 - 1/100)

Entrez Gene:	23604/13143
SwissProt:	Q9UIK4/Q8VDF3
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of DAP Kinase 2 expression in PC3 (A) whole cell lysates.





Immunohistochemical analysis of DAP Kinase 2 staining in human tonsil formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

