

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Prov	vince, China			
TELE: 86-510-82732223 FAX: 86-510-82720101-8014				
Web : www.dldev	elop.com			
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-hN	RNP C (pS2	60) Antibody	
Catalog:	DL94841A			
c	22, 10111			
Synonyms:	HNRPC; Heterogeneous nuclear ribonucleoproteins			
Synonyms.	C1/C2; hnRNP C1/C2			
	C1/C2, mixing	CI/C2		
Immunagan		ad aunthatia	nantida anaamnaasina a	
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human hNRNP C (pS260). The exact sequence is			
	proprietary.			
Form: Liquid		Concentra	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity:		Applicati	on: WB, IHC	
Human,Mouse,Rat,Rabbit				



Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200)


Entrez Gene:	3183/15381
SwissProt:	P07910/Q9Z204/P17132
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of hNRNP C (pS260) expression in Hela (A), K562 (B), HEK293T (C) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of hNRNP C (pS260) staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.