

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road, Liangxi District
Wuxi Jiangsu Province, China

TELE: 86-510-82732223

FAX: 86-510-82720101-8014

Web : www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-HSD3B7 Antibody

Catalog: DL94905A

Synonyms: 3 beta-hydroxysteroid dehydrogenase type 7; 3
beta-hydroxysteroid dehydrogenase type VII;
3-beta-HSD VII; 3-beta-hydroxy-Delta(5)-C27
steroid oxidoreductase; C(27) 3-beta-HSD;
Cholest-5-ene-3-beta,7-alpha-diol
3-beta-dehydrogenase

Immunogen: KLH-conjugated synthetic peptide encompassing a
sequence within the center region of human
HSD3B7. The exact sequence is proprietary.

Form: Liquid

Concentration: 1mg/mL

Size: 100 ul/50 ul

Host: Rabbit

Reactivity: Human, Mouse, Rat

Application: WB, IHC

Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000),
IHC (1/100 - 1/200)

Entrez Gene: 80270/101502/246211


SwissProt: Q9H2F3/Q9EQC1/O35048

Purification: The antibody was purified by immunogen affinity chromatography.

Buffer: Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of HSD3B7 expression in Lovo (A), MCF7 (B), HeLa (C) whole cell lysates.



IHC description:

Immunohistochemical analysis of HSD3B7 staining in human kidney formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.