

# Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

**Product name:** Rabbit anti-CPI17 (pT38) Antibody

Catalog: DL94916A

**Synonyms:** CPI17; PPP1INL; Protein phosphatase 1 regulatory

subunit 14A; 17 kDa PKC-potentiated inhibitory

protein of PP1; Protein kinase C-potentiated

inhibitor protein of 17 kDa; CPI-17

Immunogen: KLH-conjugated synthetic peptide encompassing a

sequence within the N-term region of human CPI17

(pT38). The exact sequence is proprietary.

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Application: WB, IHC



#### Human, Mouse, Rat, Pig

**Clonality:** Polyclonal **Dilution:** WB (1/500 - 1/1000),

IHC (1/100 - 1/200)

**Entrez Gene:** 94274/68458/114004

Q96A00/Q91VC7/Q99MC0 SwissProt:

**Purification:** The antibody was purified by immunogen affinity

chromatography.

**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

# **WB** description:

Western blot analysis of CPI17 (pT38) expression in SHSY5Y (A), Raw264.7 (B) whole cell lysates.





## **IHC** description:

Immunohistochemical analysis of CPI17 (pT38) staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.