

Manufacturer/Supplier:WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTDAddress: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi DistrictWuxi Jiangsu Province, ChinaTELE: 86-510-82732223FAX: 86-510-82720101-8014Web: www.dldevelop.comEmail: info@dldevelop.com.cn			
Product name: Catalog:	Rabbit anti-HSP27 (pS82) Antibody DL94958A		
Synonyms:	HSP27; HSP28; Heat shock protein beta-1; HspB1; 28 kDa heat shock protein; Estrogen-regulated 24 kDa protein; Heat shock 27 kDa protein; HSP 27; Stress-responsive protein 27; SRP27		
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human HSP27 (pS82). The exact sequence is proprietary.		
Form: Liquid	Concentration: 1mg/mL		
Size: 100 ul/50 ul	Host: Rabbit		
Reactivity:	Application: WB, IHC		

DEVELOP

Human, Mouse, Bovine, Dog


Clonality: Polyclo		Dilution: WB (1/500 - 1/1000), HC (1/100 - 1/200)
Entrez Gene:	3315/15507	
SwissProt:	P04792/P14602	
Purification:	The antibody was performed on the chromatography.	purified by immunogen affinity
Buffer:	1	otassium phosphate, 0.87% oH 7.3, 30% glycerol, and 0.01%

WB description:

Western blot analysis of HSP27 (pS82) expression in A549 (A), HepG2 (B), K562 (C) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of HSP27 (pS82) staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.