

Manufacturer/Supplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD		
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District		
Wuxi Jiangsu Province, China		
TELE: 86-510-82732223 FAX: 86-510-82720101-8014		
Web : <u>www.dldevelop.com</u>		
Email: info@dldevelop.com.cn service@dldevelop.com.cn		
Product name:	Rabbit anti-hNRNP C Antibody	
Catalog:	DL94999A	
8		
Synonyms:	HNRPC; Heterogeneous nuclear ribonucleoproteins	
~ 9 - 10 - 19 - 1200	C1/C2; hnRNP C1/C2	
	01/02, militar 01/02	
Immunogen:	KLH-conjugated synthetic peptide encompassing a	
ininunogen.	sequence within the C-term region of human	
	hNRNP C. The exact sequence is proprietary.	
<b>T T ' ' 1</b>		
Form: Liquid	<b>Concentration:</b> 1mg/mL	
Size: 100 ul/50 ul	Host: Rabbit	
Reactivity:	Application: WB, IHC	
Human,Mouse,Rat,Rabbit		



**Clonality:** Polyclonal


**Dilution:** WB (1/500 - 1/1000), IHC (1/100 - 1/200)

Entrez Gene:	3183/15381
SwissProt:	P07910/Q9Z204/P17132
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

## **WB description:**

Western blot analysis of hNRNP C expression in HEK293T (A), HuvEc (B) whole cell lysates.

## **DEVELOP**



## **IHC description:**

Immunohistochemical analysis of hNRNP C staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.