

| Manufacturer/Supplier:WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTDAddress: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi DistrictWuxi Jiangsu Province, ChinaTELE: 86-510-82732223FAX: 86-510-82720101-8014Web: www.dldevelop.com | | | | |
|--|--|-----------|---------------|--|
| Email: info@dldevelop.com.cn service@dldevelop.com.cn | | | | |
| Product name: Catalog: | Rabbit anti-HN DL95072A | | | |
| Synonyms: | HMG1; High mobility group protein B1; High mobility group protein 1; HMG-1 | | | |
| Immunogen: | KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human HMGB1 (AcK12). The exact sequence is proprietary. | | | |
| Form: Liquid | | Concentr | ation: 1mg/mL | |
| Size: 100 ul/50 ul | | Host: Rat | bit | |
| Reactivity:Application: WBHuman,Mouse,Rat,Bovine,Chicke | | | | |

DEVELOP.

n,Dog,Monkey,Pig


| Clonality: Polyclo | Dilution: WB (1/500 - 1/1000) | | |
|--------------------|---|--|--|
| Entrez Gene: | 3146/100862258; 15289/25459 | | |
| SwissProt: | P09429/P63158/P63159 | | |
| Purification: | The antibody was purified by immunogen affinity chromatography. | | |
| Buffer: | Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide. | | |

WB description:

Western blot analysis of HMGB1 (AcK12) expression in NIH3T3 (A), HepG2 UV-treated (B) whole cell lysates.







Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

