


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-ANG Antibody			
Catalog:	DL95097A			
cg.	22,00,11			
Synonyms:	RNASE5; Angiogenin; Ribonuclease 5; RNase 5			
Synonyms.	KINIGLS, Migh	ogenni, Rio	onderedse 5, Rivase 5	
Immunogen:	VIII conjugated synthetic particle anomposing a			
minunogen.	KLH-conjugated synthetic peptide encompassing a			
	sequence within the N-term region of human ANG.			
	The exact sequence is proprietary.			
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human		Applicati	on: WB, IHC	
Clonality: Polyclonal		Dilution: WB (1/500 - 1/1000),		
		IHC (1/10	0 - 1/200)	
		`	,	

Entrez Gene:	283
SwissProt:	P03950
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of ANG expression in HEK293T (A), Hela (B), U87MG (C) whole cell lysates.



IHC description:

Immunohistochemical analysis of ANG staining in human liver



formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.