


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-IL-16 Antibody			
Catalog:	DL95207A			
Catalog.	DL)5207A			
C				
Synonyms:	Pro-interleukin-	16		
Immunogen:	KLH-conjugated synthetic peptide encompassing a			
	sequence within	the N-term	region of human IL-16.	
	The exact sequence is proprietary.			
Form: Liquid		Concentra	ation: 1mg/mL	
1			C	
Size: 100 ul/50 ul		Host: Rab	hit	
Size. 100 ul/30 ul		Host. Ruc	on	
Desetisitas Hannes Manlas		A		
Reactivity: Human, Monkey		Application	on: WB, IHC	
	1	D 11 (1		
Clonality: Polyclonal		Dilution: WB (1/500 - 1/1000),		
		IHC (1/10	0 - 1/200)	

Entrez Gene:	3603
SwissProt:	Q14005
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of IL-16 expression in A549 (A) whole cell lysates.



IHC description:

Immunohistochemical analysis of IL-16 staining in human lymph



node formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.