

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-GATA5 Antibody			
Catalog:	DL95210A			
Synonyms:	-	actor GATA	-5; GATA-binding factor	
	5			
I		1 41 4		
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human			
	1		e is proprietary.	
	UATAS. The e	xaet sequence	c is proprietary.	
Form: Liquid		Concentr	ation: 1mg/mL	
1 01 111 211 111				
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity:		Application	on: WB, IHC	
Human,Mouse,Bovine,Chicken				



Clonality: Polyclonal

Dilution: WB (1/500 - 1/1000), IHC (1/100 - 1/200)


Entrez Gene:	140628/14464
SwissProt:	Q9BWX5/P97489
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of GATA5 expression in HepG2 (A), NIH3T3 (B) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of GATA5 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.