

Manufacturer/Supplier: WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District Wuxi Jiangsu Province, China TELE: 86-510-82732223 FAX: 86-510-82720101-8014				
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name: Catalog:	Rabbit anti-NF. DL95357A	AT5 Antibo	dy	
Synonyms:	T-cells 5; NF-A	T5; T-cell t	elear factor of activated ranscription factor re enhancer-binding ein; TonEBP	
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human NFAT5. The exact sequence is proprietary.			
Form: Liquid		Concentra	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human, Mouse, Rat		Application: WB, IHC		




Clonality: Polyclonal

Dilution: WB (1/500 - 1/2000), IHC (1/50 - 1/200)


Entrez Gene:	10725
SwissProt:	O94916
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of NFAT5 expression in Hela (A), HEK293T (B) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of NFAT5 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.