

Manufacturer/Supplier:		
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD		
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District		
Wuxi Jiangsu Province, China		
TELE: 86-510-82732223		FAX: 86-510-82720101-8014
Web : <u>www.dldevelop.com</u>		
Email: info@dldevelop.com.cn service@dldevelop.com.cn		
<u>_</u>	<u> </u>	<b>i</b>
Product name:	Mouse anti-FLAG-tag Antibody	
Catalog:	DL95390A	
cutilogi	DL/00/011	
Synonyms:		
Immunogen:	KLH-conjugated synthetic peptide encompassing a	
	sequence of FLAG-tag. The exact sequence is	
	proprietary.	
Form: Liquid		Concentration: 1mg/mL
-		
Size: 100 ul/50 ul		Host: Mouse
Reactivity:		Application: WB, IF/IC, IP
Reactivity.		Application: wD, 11/10, 11
Clanslity: Managlang		Dilution: W/D (1/2000 1/5000)
<b>Clonality:</b> Monoclonal		<b>Dilution:</b> WB (1/2000 - 1/5000), IF/IC (1/200 - 1/500), IP (1/100 -



1/200)

## **Entrez Gene:**


**SwissProt:** 

**Purification:** 

Buffer: Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

#### **WB description:**

Western blot analysis of over-expressed HA-tagged protein in 293T cell lysate.




## **IF/ICC description:**

Immunofluorescent analysis of HA-tag staining in 293T cells

www.dldevelop.com



transfected with a HA-tag protein. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells wer




#### **IP description:**

Immunoprecipitation of HA-tagged protein from HEK293T cells transfected with vector overexpressing HA tag, using anti-HA-tag Antibody.







# Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

