

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Mouse anti-Myc-tag Antibody			
Catalog:	DL95409A			
Synonyms:				

Immunogen: KLH-conjugated synthetic peptide encompassing a sequence of Myc-tag. The exact sequence is proprietary.

Form: Liquid	Concentration: 1mg/mL		
Size: 100 ul/50 ul	Host: Mouse		
Reactivity:	Application: WB, IF/IC, IP		
Clonality: Monoclonal	<b>Dilution:</b> WB (1/2000 - 1/5000), IF/IC (1/200 - 1/500), IP (1/100 -		



1/200)

## **Entrez Gene:**


**SwissProt:** 

**Purification:** 

Buffer: Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

#### **WB description:**

Western blot analysis of over-expressed V5-tagged protein in 293T cell lysate.




## **IF/ICC description:**

Immunofluorescent analysis of V5-tag staining in 293T cells

www.dldevelop.com




transfected with a V5-tag protein. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells wer




#### **IP description:**

Immunoprecipitation of V5-tagged protein from HEK293T cells transfected with vector overexpressing V5 tag, using anti-V5-tag Antibody.







# Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

