

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Mouse anti-SMAD3 Antibody

Catalog: DL95549A

Synonyms: MADH3; Mothers against decapentaplegic homolog

> 3; MAD homolog 3; Mad3; Mothers against DPP homolog 3; hMAD-3; JV15-2; SMAD family

member 3; SMAD 3; Smad3; hSMAD3

Immunogen: Recombinant protein corresponding to human

SMAD3.

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul **Host:** Mouse

Reactivity: Human, Mouse, Rat **Application:** WB, IHC



Clonality: Monoclonal **Dilution:** WB (1/1000 - 1/2000),

IHC (1/100 - 1/200)

Entrez Gene: 4088

P84022 SwissProt:

Purification:


Buffer: Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:

Western blot analysis of SMAD3 expression in 293T (A), Jurkat (B), mouse heart (C), rat heart (D) whole cell lysates.



IHC description:



Immunohistochemical analysis of SMAD3 staining in human liver, human colon cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.