

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-Cytokeratin 18 Antibody

Catalog: DL95615A

Synonyms: CYK18; Keratin type I cytoskeletal 18; Cell

proliferation-inducing gene 46 protein; Cytokeratin-18; CK-18; Keratin-18; K18

Immunogen: Recombinant protein corresponding to human

Cytokeratin 18.

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human Application: WB, IHC

Clonality: Polyclonal Dilution: WB (1/1000 - 1/2000),



IHC (1/200 - 1/500)

Entrez Gene: 3875

SwissProt: P05783

Purification: The antibody was purified by immunogen affinity

chromatography.


Buffer: Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:

Western blot analysis of Cytokeratin 18 expression in Hela (A) whole cell lysates.



IHC description:



Immunohistochemical analysis of Cytokeratin 18 staining in mouse kidney formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.