


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn			evelop.com.cn	
Product name:	Rabbit anti-STAT5B Antibody			
Catalog:	DL95792A			
Synonyms:	Signal transducer and activator of transcription 5B			
Immunogen:	Recombinant protein corresponding to human			
	STAT5B.			
Form: Liquid		Concentra	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human, Mouse, Rat		Application	on: WB, IHC	
Clonality: Polyclonal		Dilution	WB (1/1000 - 1/2000),	
Cionanty. I Orycional		IHC (1/20		
		IIIC (1/20	0 - 1/300)	

DEVELOP

Entrez Gene:	6777
SwissProt:	P51692
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of STAT5B expression in K562 (A), Hela (B), NIH3T3 (C), mouse heart (D), PC12 (E), rat heart (F) whole cell lysates.



IHC description:

Immunohistochemical analysis of STAT5B staining in human



spleen formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

