


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-TGF beta 1 Antibody			
Catalog:	DL95795A			
Synonyms:	TGFB; Transforming growth factor beta-1;			
	TGF-beta-1			
	D			
Immunogen:	Recombinant protein corresponding to human TGF			
	beta 1.			
Form: Liquid		Concentr	ation: 1mg/mL	
Form. Liquid		Concenti		
Size: 100 ul/50 ul		Host: Rab	bit	
		Host. Rac		
Reactivity: Human, Mouse, Rat		Applicati	on: WB, IHC	
······································		FF	,	
Clonality: Polyclonal		Dilution: WB (1/1000 - 1/2000),		
- •		IHC (1/20	0 - 1/500)	

www.dldevelop.com

Entrez Gene:	7040
SwissProt:	P01137
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of TGF beta 1 expression in mouse liver (A), rat liver (B) whole cell lysates.



IHC description:

Immunohistochemical analysis of TGF beta 1 staining in human



breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

