


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
_	-	_	-	
Product name:	Rabbit anti-ZNF499 Antibody			
Catalog:	DL95801A			
Cuturog	DEFECCENT			
Sunonumai	ZNE400, Zing f	in con and D	TB domain-containing	
Synonyms:		•	•	
	protein 45; Zinc	inger prot	ein 499	
_				
Immunogen:	Recombinant protein corresponding to human			
	ZNF499.			
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human, Mouse, Rat		Annlicati	on: WB, IHC	
reactive running, rouse, rut		rippiicau		
<b>Clonality:</b> Polyclo	mal	Dilution	WB (1/500 - 1/1000)	
Cionanty, I orycional		<b>Dilution:</b> WB (1/500 - 1/1000), IHC (1/100 - 1/200)		
		IHC (1/10	0 - 1/200)	

## **DEVELOP**

Entrez Gene:	84878
SwissProt:	Q96K62
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

## WB description:

Western blot analysis of ZNF499 expression in Hela (A), Jurkat (B), mouse brain (C), mouse kidney (D), rat brain (E) whole cell lysates.



## **IHC description:**

Immunohistochemical analysis of ZNF499 staining in mouse



kidney formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.

