

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

Product name: Rabbit anti-Fibrillarin Antibody

Catalog: DL95893A

Synonyms: FIB1; FLRN; rRNA 2'-O-methyltransferase

fibrillarin; 34 kDa nucleolar scleroderma antigen;

Histone-glutamine methyltransferase

Immunogen: Recombinant full length protein of human

Fibrillarin

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat Application: WB, IF/IC, IP

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),



IF/IC (1/50 - 1/200), IP (1/20 -1/50)

Entrez Gene: 2091/102643269; 14113/292747

P22087/P35550/P22509 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.

Buffer: Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:


Western blot analysis of Fibrillarin expression in Hela (A), U20S (B), COS7 (C), PC12 (D) whole cell lysates.





IF/ICC description:

Immunofluorescent analysis of Fibrillarin staining in Hela cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary ant



IP description:



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.