


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-Troponin C Antibody			
Catalog:	DL95955A			
Synonyms:	TNNC; Troponin C, slow skeletal and cardiac			
	muscles; TN-C			
Immunogen:	Recombinant full length protein of human Troponin			
	С			
T. T. 1		C (/• 1 / T	
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul Hos			1.:+	
Size: 100 ul/30 ul		Host: Rab	JUIL	
Reactivity: Huma	n Mouse Rat	Annlicati	on: WB, IF/IC	
wavnyny, Human, wouse, Kat		rppicati		
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),		
		IF/IC (1/5		
			/	

DEVELOP.

Entrez Gene:	7134/21924
SwissProt:	P63316/P19123
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of Troponin C expression in mouse heart (A), mouse lung (B) whole cell lysates.



IF/ICC description:

Immunofluorescent analysis of Troponin C staining in U2OS cells.



Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary anti



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

