

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

**Product name:** Rabbit anti-U2AF65 Antibody

Catalog: DL95959A

Synonyms: U2AF65; Splicing factor U2AF 65 kDa subunit; U2

auxiliary factor 65 kDa subunit; hU2AF(65);

hU2AF65; U2 snRNP auxiliary factor large subunit

Immunogen: Recombinant full length protein of human U2AF65

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat Application: WB, IF/IC

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),

IF/IC (1/50 - 1/200)



Entrez Gene: 11338/22185

P26368/P26369 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.


**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

## **WB** description:

Western blot analysis of U2AF65 expression in Jurkat (A), SW620 (B), mouse spleen (C) whole cell lysates.



## IF/ICC description:

Immunofluorescent analysis of U2AF65 staining in U2OS cells.



Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.