


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-PGK1 Antibody			
Catalog:	DL95963A			
Cuturog.	DEJUJUUT			
Supara	DCVA.Dhogph	a aliva anata li	imaga 1. Call	
Synonyms:	PGKA; Phosphoglycerate kinase 1; Cell migration-inducing gene 10 protein; Primer			
	e	00	1 /	
	recognition prot	ein 2; PRP	2	
Immunogen:	Recombinant full length protein of human PGK1			
Form: Liquid		Concentration: 1mg/mL		
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human, Mouse, Rat		Applicati	on: WB, IF/IC	
Reactivity. Human, wouse, Rat		Application	JII. WD, 11/1C	
Classifier Debuland Dilutions WD (1/500 1/2000)				
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),		
		IF/IC (1/5	0 - 1/200)	

DEVELOP.

Entrez Gene:	5230/18655/24644
SwissProt:	P00558/P09411/P16617
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of PGK1 expression in Hela (A), PC3 (B), ES2 (C), mouse stomach (D) whole cell lysates.




IF/ICC description:

Immunofluorescent analysis of PGK1 staining in Hela cells.



Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

