

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

**Product name:** Rabbit anti-CapZ alpha-2 Antibody

Catalog: DL95977A

**Synonyms:** F-actin-capping protein subunit alpha-2; CapZ

alpha-2

**Immunogen:** Recombinant full length protein of human CapZ

alpha-2

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat Application: WB, IF/IC

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),

IF/IC (1/50 - 1/200)



Entrez Gene: 830/12343/493810

P47755/P47754/Q3T1K5 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.


**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

## **WB** description:

Western blot analysis of CapZ alpha-2 expression in Hela (A), THP1 (B), mouse brain (C), mouse heart (D) whole cell lysates.




## IF/ICC description:

Immunofluorescent analysis of CapZ alpha-2 staining in HepG2



cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary a



## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.