

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road, Liangxi District
Wuxi Jiangsu Province, China

TELE: 86-510-82732223

FAX: 86-510-82720101-8014

Web : www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-NIRF Antibody

Catalog: DL95996A

Synonyms: NIRF; RNF107; E3 ubiquitin-protein ligase
UHRF2; Np95/ICBP90-like RING finger protein;
Np95-like RING finger protein; Nuclear protein 97;
Nuclear zinc finger protein Np97; RING finger
protein 107; Ubiquitin-like PHD and RING finger
domain-containing prote

Immunogen: Recombinant full length protein of human NIRF

Form: Liquid

Concentration: 1mg/mL

Size: 100 ul/50 ul

Host: Rabbit

Reactivity: Human, Mouse, Rat

Application: WB, IHC

Clonality: Polyclonal

Dilution: WB (1/500 - 1/2000),
IHC (1/50 - 1/200)

Entrez Gene: 115426/109113


SwissProt: Q96PU4/Q7TMI3

Purification: The antibody was purified by immunogen affinity chromatography.

Buffer: Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of NIRF expression in Hela (A), PC3 (B), THP1 (C) whole cell lysates.



IHC description:

Immunohistochemical analysis of NIRF staining in rat heart formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.