

| Manufacturer/Supplier: | | | | |
|--|---|---------------|-------------------------|--|
| WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD | | | | |
| Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District | | | | |
| Wuxi Jiangsu Province, China | | | | |
| | | | | |
| TELE: 86-510-82732223 FAX: 86-510-82720101-8014 | | | | |
| Web : <u>www.dldevelop.com</u> | | | | |
| Email: info@dldevelop.com.cn service@dldevelop.com.cn | | | | |
| | | | | |
| Product name: | Rabbit anti-PSMC4 Antibody | | | |
| Catalog: | DL96002A | | | |
| | | | | |
| Synonyms: | MIP224; TBP7; 26S protease regulatory subunit 6B; | | | |
| | 26S proteasome | AAA-ATP | ase subunit RPT3; | |
| | MB67-interactir | ng protein; I | MIP224; Proteasome 26S | |
| | subunit ATPase | 4; Tat-bind | ing protein 7; TBP-7 | |
| | | | | |
| Immunogen: | Recombinant fu | ll length pro | otein of human PSMC4 | |
| | | 8 1 | | |
| Form: Liquid | | Concentr | ation: 1mg/mL | |
| I of m. Elquid | | Concentra | and the second second | |
| Size: 100 ul/50 ul | | Host: Rabbit | | |
| Size: 100 ul/30 ul | | HUSt. Rau | on | |
| Reactivity: Human, Mouse, Rat Application: WB, IF/IC | | | | |
| Reactivity: numan, wouse, Kat | | Application | | |
| Clonality: Polyclonal Dilution: WB (1/500 - 1/2000), | | | | |
| Clonality: Polyclonal | | Dilution: | w B $(1/300 - 1/2000),$ | |




IF/IC (1/50 - 1/200)

| Entrez Gene: | 5704/23996/117262 |
|---------------|---|
| SwissProt: | P43686/P54775/Q63570 |
| Purification: | The antibody was purified by immunogen affinity chromatography. |
| Buffer: | Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide. |

WB description:

Western blot analysis of PSMC4 expression in HepG2 (A), A549 (B), Hela (C), Jurkat (D), mouse liver (E) whole cell lysates.



IF/ICC description:



Immunofluorescent analysis of PSMC4 staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

