

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name: Catalog:	Rabbit anti-p54 DL96042A	nrb Antibod	У	
Synonyms:	NRB54; Non-POU domain-containing octamer-binding protein; NonO protein; 54 kDa nuclear RNA- and DNA-binding protein; 55 kDa nuclear protein; DNA-binding p52/p100 complex, 52 kDa subunit; NMT55; p54(nrb); p54nrb			
Immunogen:	Recombinant full length protein of human p54nrb			
Form: Liquid		Concentra	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human, Mouse, Rat		Application: WB, IHC, IP		



Clonality: Polyclonal

Dilution: WB (1/500 - 1/2000), IHC (1/50 - 1/200), IF/IC (1/50 -1/200), IP (1/20 - 1/50)

Entrez Gene:	4841/53610/317259
SwissProt:	Q15233/Q99K48/Q5FVM4
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of p54nrb expression in Hela (A), SW620 (B), mouse brain (C), mouse kidney (D) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of p54nrb staining in rat liver formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

IP description:

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

