

Manufaaturar/Su	nnlior			
Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-RFC4 Antibody			
Catalog:	DL96086A			
cg.	22,00001			
Synonyms:	Replication factor C subunit 4; Activator 1 37 kDa subunit; A1 37 kDa subunit; Activator 1 subunit 4; Replication factor C 37 kDa subunit; RF-C 37 kDa subunit; RFC37			
Immunogen:	Recombinant full length protein of human RFC4			
Form: Liquid		Concentra	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human, Mouse, Rat		Application: WB, IHC, IF/IC		
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),		



IHC (1/50 - 1/200), IF/IC (1/50 - 1/200)


Entrez Gene:	5984/106344
SwissProt:	P35249/Q99J62
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of RFC4 expression in Hela (A), K562 (B), HepG2 (C), MCF7 (D) whole cell lysates.



DEVELOP



IHC description:

Immunohistochemical analysis of RFC4 staining in rat testis formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

IF/ICC description:

Immunofluorescent analysis of RFC4 staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i

DEVELOP.



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

