


| Manufacturer/Supplier:  |   |                  |                           |  |
|---|---|------------------|---------------------------|--|
| WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD                          |   |                  |                           |  |
| Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District  |   |                  |                           |  |
| Wuxi Jiangsu Province, China  |   |                  |                           |  |
| TELE: 86-510-82   | 2732223                                       | FAX:             | 86-510-82720101-8014      |  |
| Web : <u>www.dldevelop.com</u>                                      |   |                  |                           |  |
| Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u> |   |                  |                           |  |
|   |   |                  |                           |  |
| Product name:   | Rabbit anti-RBAT Antibody                     |                  |                           |  |
| Catalog:  | DL96090A                                      |                  |                           |  |
|   |   |                  |                           |  |
| Synonyms:   | RBAT; Neutral and basic amino acid transport  |                  |                           |  |
|   | •   |                  | ; Solute carrier family 3 |  |
|   | member 1; $b(0, +$                            | +)-type ami      | no acid transport protein |  |
| T   |   | 11.1 /1          |                           |  |
| Immunogen:  | Recombinant full length protein of human RBAT |                  |                           |  |
| Form: Liquid  |   | Concentr         | ation: 1mg/mL             |  |
| Form. Liquid  |   | Concenti         |                           |  |
| <b>Size:</b> 100 ul/50 ul   |   | Host: Rat        | bit                       |  |
| Size. 100 ul 50 ul  |   | Host. Ruc        |                           |  |
| Reactivity: Human, Mouse, Rat                                       |   | Applicati        | on: WB, IF/IC             |  |
|   |   |                  |                           |  |
| <b>Clonality:</b> Polyclonal  |   | <b>Dilution:</b> | WB (1/500 - 1/2000),      |  |
| · ·   |   | IF/IC (1/5       |                           |  |
|   |   |                  | -                         |  |

## **DEVELOP**.

| Entrez Gene:  | 6519/20532/29484  |
|---------------|---|
| SwissProt:    | Q07837/Q91WV7/Q64319  |
| Purification: | The antibody was purified by immunogen affinity chromatography.   |
| Buffer:       | Liquid in 0.42% Potassium phosphate, 0.87%<br>Sodium chloride, pH 7.3, 30% glycerol, and 0.01%<br>sodium azide. |

## WB description:

Western blot analysis of RBAT expression in HT29 (A), HepG2 (B), PC12 (C), mouse liver (D) whole cell lysates.




## **IF/ICC description:**

Immunofluorescent analysis of RBAT staining in Hela cells.



Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.

