


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-SKIV2L2 Antibody			
Catalog:	DL96103A			
Synonyms:	KIAA0052; Mtr4; Superkiller viralicidic activity			
		•	NA helicase SKIV2L2;	
	TRAMP-like co	mplex helio	case	
Immunogen:	Pasamhinant full longth protoin of human SKIV21.2			
minunogen.	Recombinant full length protein of human SKIV2L2			
Form: Liquid		Concentr	ation: 1mg/mL	
Ĩ			0	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human, Mouse, Rat		Applicati	on: WB, IHC	
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),		
		IHC (1/50	- 1/200)	

DEVELOP.

Entrez Gene:	23517/72198
SwissProt:	P42285/Q9CZU3
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of SKIV2L2 expression in Hela (A), mouse kidney (B), mouse testis (C) whole cell lysates.



IHC description:

Immunohistochemical analysis of SKIV2L2 staining in rat brain



formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.