

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name: Catalog:	Rabbit anti-FDF DL96123A	PS Antibody	7	
Synonyms:	FPS; KIAA1293; Farnesyl pyrophosphate synthase; FPP synthase; FPS; (2E,6E)-farnesyl diphosphate synthase; Dimethylallyltranstransferase; Farnesyl diphosphate synthase; Geranyltranstransferase			
Immunogen:	Recombinant full length protein of human FDPS			
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human, Mouse, Rat		Application: WB, IHC		
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),		




IHC (1/50 - 1/200)

Entrez Gene:	2224/110196/83791
SwissProt:	P14324/Q920E5/P05369
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of FDPS expression in HepG2 (A), Hela (B), MCF7 (C), mouse liver (D) whole cell lysates.



IHC description:



Immunohistochemical analysis of FDPS staining in mouse kidney formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

