

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-RMDN3 Antibody			
Catalog:	DL96140A			
Synonyms:	FAM82A2; FAM82C; PTPIP51; Regulator of			
	microtubule dynamics protein 3; RMD-3; hRMD-3;			
	Cerebral protein 10; Protein FAM82A2; Protein			
	FAM82C; Protein tyrosine phosphatase-interacting			
	protein 51; TCP	TP-interact	ing protein 51	
_				
Immunogen:	Recombinant fu	Il length pro	otein of human RMDN3	
T		C	· · · · · 1 / T	
Form: Liquid		Concentr	ation: 1mg/mL	
<b>Size:</b> 100 ul/50 ul		Host: Rab	bit	
Size. 100 ul/30 ul		HUSt. Rat	on	
Reactivity: Human, Mouse		Applicati	on: WB, IHC	
, , , , , , , , , , , , , , , , , , ,				



**Clonality:** Polyclonal

**Dilution:** WB (1/500 - 1/2000), IHC (1/50 - 1/200)


Entrez Gene:	55177/67809
SwissProt:	Q96TC7/Q3UJU9
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

## **WB description:**

Western blot analysis of RMDN3 expression in HepG2 (A), MCF7 (B), mouse liver (C), mouse brain (D) whole cell lysates.



## **DEVELOP**



## **IHC description:**

Immunohistochemical analysis of RMDN3 staining in rat kidney formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.