

Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223		FAX: 86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>			
Email: info@dldev	velop.com.cn	service@dldevelop.com.cn	
Product name:	Rabbit anti-DC	TD Antibody	
Catalog:	DL96150A		
Synonyms:	Deoxycytidylat	e deaminase; dCMP deaminase	
Immunogen:	Recombinant fu	all length protein of human DCTD	
8			
Form: Liquid		Concentration: 1mg/mL	
1			
Size: 100 ul/50 ul		Host: Rabbit	
		Host. Hubble	
Reactivity: Human		Application: WB, IHC	
Reactivity. Human		Application. WD, Inc	
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),	
Cionanty. I orycional		IHC (1/50 - 1/200)	
		1110(1730 - 17200)	
Entrez Gene:	1(25		
Entrez Gene:	1635		


www.dldevelop.com

DEVELOP

SwissProt:	P32321
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of DCTD expression in SW620 (A), mouse heart (B), rat heart (C) whole cell lysates.



IHC description:

Immunohistochemical analysis of DCTD staining in rat kidney formalin fixed paraffin embedded tissue section. The section was



pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

