

Manufaatunan/Su	nnlien			
Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
		-	-	
Product name:	Rabbit anti-RAD54L2 Antibody			
Catalog:	DL96161A			
Catalog.	DEJOIOIN			
C				
Synonyms:	ARIP4; KIAA0809; Helicase ARIP4; Androgen			
	receptor-interact	ting protein	4; RAD54-like protein 2	
Immunogen:	Recombinant full length protein of human			
	RAD54L2			
Form: Liquid		Concentr	ation: 1mg/mL	
-			-	
Size: 100 ul/50 ul		Host: Rab	bit	
		110000 1000		
Reactivity: Human		Applicati	on: WB, IF/IC	
Reactivity: Human		Аррисан	JII. WD, II/IC	
Clanality Dalvalanal		Dilation	WD(1/500, 1/2000)	
<b>Clonality:</b> Polyclonal		<b>Dilution:</b> WB (1/500 - 1/2000),		
		IF/IC (1/2	0 - 1/100)	

www.dldevelop.com


## 

Entrez Gene:	23132
SwissProt:	Q9Y4B4
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

## **WB description:**

Western blot analysis of RAD54L2 expression in MCF7 (A),

THP1 (B) whole cell lysates.




## **IF/ICC description:**

Immunofluorescent analysis of RAD54L2 staining in MCF7 cells.



Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibod



## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.

