

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

Product name: Rabbit anti-Transcobalamin-1 Antibody

Catalog: DL96234A

Synonyms: TC1; Transcobalamin-1; TC-1; Transcobalamin I;

TC I; TCI

Immunogen: Recombinant full length protein of human

Transcobalamin-1

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human Application: WB, IF/IC

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),

IF/IC (1/10 - 1/100)



Entrez Gene: 6947

P20061 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.


Buffer: Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:

Western blot analysis of Transcobalamin-1 expression in BT474 (A), HT29 (B) whole cell lysates.




IF/ICC description:

Immunofluorescent analysis of Transcobalamin-1 staining in



U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primar



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.