


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: info@dldevelop.com.cn service@dldevelop.com.cn				
Product name:	Rabbit anti-Secretogranin-2 Antibody			
Catalog:	DL96236A			
catalog.	DL)023011			
S	CIICC: Secrete granin 2: Chrome granin C.			
Synonyms:	CHGC; Secretogranin-2; Chromogranin-C;			
	Secretogranin II	; Sgll		
Immunogen:	Recombinant full length protein of human			
	Secretogranin-2			
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rab	bit	
Reactivity: Human		Annlicati	on: WB, IF/IC	
waturity. Human		rppicati		
Clonality: Polyclonal		Dilution	WP(1/500 - 1/2000)	
Cionanty, roiycionai		Dilution: WB (1/500 - 1/2000), IF/IC (1/10 - 1/100)		
		IF/IC (1/1	0 - 1/100)	

Entrez Gene:	7857
SwissProt:	P13521
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of Secretogranin-2 expression in SW620 (A), Jurkat (B) whole cell lysates.




IF/ICC description:

Immunofluorescent analysis of Secretogranin-2 staining in MCF7



cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

