

Manufactures/Supplice					
Manufacturer/Supplier: WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD					
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District					
Wuxi Jiangsu Province, China					
e			96 510 92720101 9014		
TELE: 86-510-82732223		FAX:	86-510-82720101-8014		
Web : <u>www.dldevelop.com</u>					
Email: info@dldev	velop.com.cn	service@dld	ervice@dldevelop.com.cn		
<b>Product name:</b>	Rabbit anti-NNMT Antibody				
Catalog:	DL96305A				
g.					
Synonyms:	Nicotinamide N-methyltransferase				
Synonyms.	Nicotilialilide I	N-IIICHIYIHAII	SICIASE		
<b>.</b>	D 11 (0				
Immunogen:	Recombinant full length protein of human NNMT				
Form: Liquid		Concentration: 1mg/mL			
Size: 100 ul/50 ul		Host: Rab	Host: Rabbit		
Reactivity: Human		Applicatio	on: WB, IF/IC		
		<b>FF</b>			
Clanality Dalvalanal		Dilution	WP $(1/500 - 1/2000)$		
<b>Clonality:</b> Polyclonal			<b>Dilution:</b> WB (1/500 - 1/2000),		
		IF/IC (1/5	0 - 1/200)		

**Entrez Gene:** 4837


www.dldevelop.com

## **DEVELOP**

SwissProt:	P40261
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

## **WB description:**

Western blot analysis of NNMT expression in Hela (A), HepG2 (B), mouse brain (C), rat lung (D), rat liver (E) whole cell lysates.




## **IF/ICC description:**

Immunofluorescent analysis of NNMT staining in Hela cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in



TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.

