


Manufacturer/Supplier:			
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD			
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District			
Wuxi Jiangsu Province, China			
TELE: 86-510-82732223		FAX: 86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>			
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>			
Product name:	Rabbit anti-p47 Antibody		
Catalog:	DL96306A		
Synonyms:	UBXN2C; NSFL1 cofactor p47; UBX		
	domain-contai	ning protein 2C; p97 cofactor p47	
_			
Immunogen:	Recombinant full length protein of human p47		
Form: Liquid		Concentration: 1mg/mL	
Form. Liquid		Concentration. Ting/IIIL	
Size: 100 u1/50 u1		Host: Rabbit	
Reactivity: Human, Mouse, Rat		Application: WB, IF/IC	
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),	
		IF/IC (1/50 - 1/200)	

DEVELOP

Entrez Gene:	55968/386649/83809	
SwissProt:	Q9UNZ2/Q9CZ44/O35987	
Purification:	The antibody was purified by immunogen affinity chromatography.	
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.	

WB description:

Western blot analysis of p47 expression in mouse brain (A), rat kidney (B) whole cell lysates.




IF/ICC description:

Immunofluorescent analysis of p47 staining in Hela cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in



TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

