

Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-sPLA2-IID Antibody			
Catalog:	DL96310A			
Synonyms:	SPLASH; Group IID secretory phospholipase A2;			
	GIID sPLA2; sPLA2-IID; PLA2IID;			
	Phosphatidylcholine 2-acylhydrolase 2D;			
	Secretory-type	PLA, stroma	a-associated homolog	
T	D 1. (2 11 1 /1	() (1)	
Immunogen:	Recombinant full length protein of human			
	sPLA2-IID			
Form: Liquid		Concentr	ation: 1mg/mL	
Form. Equit		Concenti	ation. mig/mil	
Size: 100 ul/50 ul		Host: Rab	bit	
		10000 1000		
Reactivity: Human		Applicati	Application: WB, IF/IC	
٠		11	,	



Clonality: Polyclonal


Dilution: WB (1/500 - 1/2000), IF/IC (1/10 - 1/100)

Entrez Gene:	26279
SwissProt:	Q9UNK4
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:


Western blot analysis of sPLA2-IID expression in Hela (A), THP1 (B) whole cell lysates.

DEVELOP.



IF/ICC description:

Immunofluorescent analysis of sPLA2-IID staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antib



Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.

