


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-DCAF7 Antibody			
Catalog:	DL96341A			
Synonyms:	HAN11; WDR68; DDB1- and CUL4-associated			
	factor 7; WD repeat-containing protein 68; WD			
	repeat-containin	g protein A	n11 homolog	
Immunogen:	Pagamhingat fu	11 longth pr	otein of human DCAF7	
mmunogen.	Recombinant Iu	n tengui pro	Julii of human DCAP	
Form: Liquid		Concentr	ation: 1mg/mL	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human, Mouse, Rat		Applicati	on: WB, IF/IC	
Clonality: Polyclonal		Dilution:	WB (1/500 - 1/2000),	
		IF/IC (1/1	0 - 1/100)	

DEVELOP.

Entrez Gene:	10238/71833
SwissProt:	P61962/P61963
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of DCAF7 expression in HEK293T (A) whole cell lysates.




IF/ICC description:

Immunofluorescent analysis of DCAF7 staining in U2OS cells.



Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

