

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

**Product name:** Rabbit anti-GalNAc-T2 Antibody

Catalog: DL96354A

**Synonyms:** Polypeptide N-acetylgalactosaminyltransferase 2;

Polypeptide GalNAc transferase 2; GalNAc-T2;

pp-GaNTase 2; Protein-UDP

acetylgalactosaminyltransferase 2;

UDP-GalNAc:polypeptide

N-acetylgalactosaminyltransferase 2

Immunogen: Recombinant full length protein of human

GalNAc-T2

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit



Reactivity: Human, Mouse, Rat **Application:** WB, IF/IC

**Clonality:** Polyclonal **Dilution:** WB (1/500 - 1/2000),

IF/IC (1/50 - 1/100)

**Entrez Gene:** 2590/108148

Q10471/Q6PB93 SwissProt:

**Purification:** The antibody was purified by immunogen affinity

chromatography.

**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

## **WB** description:


Western blot analysis of GalNAc-T2 expression in HepG2 (A), A431 (B), mouse lung (C), rat kidney (D), rat brain (E) whole cell lysates.





## **IF/ICC description:**

Immunofluorescent analysis of GalNAc-T2 staining in Hela cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antib



## **Storage:**



Store at -20°C. Avoid repeated freeze / thaw cycles.