


| Manufacturer/Supplier: | | | | |
|---|---|---|----------------------|--|
| WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD | | | | |
| Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District | | | | |
| Wuxi Jiangsu Province, China | | | | |
| TELE: 86-510-82 | 2732223 | FAX: | 86-510-82720101-8014 | |
| Web : <u>www.dldevelop.com</u> | | | | |
| Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u> | | | | |
| Product name: Catalog: | Rabbit anti-Kv4 DL96358A | .3 Antibody | ý | |
| Synonyms: | Potassium voltage-gated channel subfamily D member 3; Voltage-gated potassium channel subunit Kv4.3 | | | |
| Immunogen: | Recombinant full length protein of human Kv4.3 | | | |
| Form: Liquid | | Concentr | ation: 1mg/mL | |
| Size: 100 ul/50 ul | | Host: Rabbit | | |
| Reactivity: Human, Mouse, Rat | | Application: WB, IHC | | |
| Clonality: Polyclonal | | Dilution: WB (1/500 - 1/2000), IHC (1/50 - 1/200) | | |

DEVELOP.

| Entrez Gene: | 3752/56543/65195 |
|---------------|---|
| SwissProt: | Q9UK17/Q9Z0V1/Q62897 |
| Purification: | The antibody was purified by immunogen affinity chromatography. |
| Buffer: | Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide. |

WB description:

Western blot analysis of Kv4.3 expression in mouse brain (A), rat liver (B) whole cell lysates.



IHC description:

Immunohistochemical analysis of Kv4.3 staining in human



pancreas formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

