

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

Product name: Rabbit anti-tNOX Antibody

Catalog: DL96392A

Synonyms: COVA1; Ecto-NOX disulfide-thiol exchanger 2;

APK1 antigen; Cytosolic ovarian carcinoma antigen 1; Tumor-associated hydroquinone oxidase; tNOX

Immunogen: Recombinant full length protein of human tNOX

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human, Mouse, Rat **Application:** WB, IF/IC

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),

IF/IC (1/50 - 1/100)



Entrez Gene: 10495/209224

Q16206/Q8R0Z2 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.


Buffer: Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:

Western blot analysis of tNOX expression in SW480 (A), Jurkat (B), mouse kidney (C), mouse ovary (D), rat liver (E) whole cell lysates.




IF/ICC description:

Immunofluorescent analysis of tNOX staining in U2OS cells.



Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.