

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-OSGEP Antibody

Catalog: DL96469A

GCPL1; Probable tRNA N6-adenosine **Synonyms:**

threonylcarbamoyltransferase;

N6-L-threonylcarbamovladenine synthase; t(6)A synthase; O-sialoglycoprotein endopeptidase; hOSGEP; t(6)A37 threonylcarbamoyladenosine

biosynthesis protein OSGEP; tRNA

threonylcarbamoyladenosi

Immunogen: Recombinant full length protein of human OSGEP

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit



Reactivity: Human, Mouse, Rat **Application:** WB, IF/IC

Clonality: Polyclonal **Dilution:** WB (1/500 - 1/2000),

IF/IC (1/50 - 1/200)

Entrez Gene: 55644/66246/290028

O9NPF4/O8BWU5/O9WVS2 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.

Buffer: Liquid in 0.42% Potassium phosphate, 0.87%


Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:


Western blot analysis of OSGEP expression in Raji (A), Jurkat (B), mouse heart (C), mouse ovary (D), rat liver (E) whole cell lysates.





IF/ICC description:

Immunofluorescent analysis of OSGEP staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Storage:



Store at -20°C. Avoid repeated freeze / thaw cycles.