

Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: info@dldevelop.com.cn service@dldevelop.com.cn

Product name: Rabbit anti-GSTA2 Antibody

Catalog: DL96492A

GST2; Glutathione S-transferase A2; GST HA **Synonyms:**

subunit 2; GST class-alpha member 2; GST-gamma;

GSTA2-2; GTH2

Immunogen: Recombinant full length protein of human GSTA2

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human **Application:** WB, IHC

Clonality: Polyclonal **Dilution:** WB (1/500 - 1/2000),

IHC (1/50 - 1/200)



Entrez Gene: 2939

P09210 SwissProt:

Purification: The antibody was purified by immunogen affinity

chromatography.


Buffer: Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

WB description:

Western blot analysis of GSTA2 expression in mouse liver (A), mouse testis (B), rat kidney (C) whole cell lysates.



IHC description:

Immunohistochemical analysis of GSTA2 staining in human



prostate cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.