

## Manufacturer/Supplier:

WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD

Address: A1-203 Mingpin CityII, No.8 Xihudong Road. Liangxi District

Wuxi Jiangsu Province, China

TELE: 86-510-82732223 FAX: 86-510-82720101-8014

Web: www.dldevelop.com

Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>

**Product name:** Rabbit anti-AspRS Antibody

Catalog: DL96524A

**Synonyms:** Aspartate--tRNA ligase, mitochondrial;

Aspartyl-tRNA synthetase; AspRS

Immunogen: Recombinant full length protein of human AspRS

Form: Liquid Concentration: 1mg/mL

Size: 100 ul/50 ul Host: Rabbit

Reactivity: Human Application: WB, IHC

Clonality: Polyclonal Dilution: WB (1/500 - 1/2000),

IHC (1/50 - 1/200)



Entrez Gene: 55157

O6PI48 SwissProt:

The antibody was purified by immunogen affinity **Purification:** 

chromatography.


**Buffer:** Liquid in 0.42% Potassium phosphate, 0.87%

Sodium chloride, pH 7.3, 30% glycerol, and 0.01%

sodium azide.

## **WB** description:

Western blot analysis of AspRS expression in NCIH460 (A), U251 (B), MCF7 (C), BT474 (D), mouse liver (E), mouse heart (F) whole cell lysates.



## **IHC description:**

Immunohistochemical analysis of AspRS staining in human lung



cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

## **Storage:**

Store at -20°C. Avoid repeated freeze / thaw cycles.