


Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD				
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District				
Wuxi Jiangsu Province, China				
TELE: 86-510-82732223		FAX:	86-510-82720101-8014	
Web : <u>www.dldevelop.com</u>				
Email: <u>info@dldevelop.com.cn</u> <u>service@dldevelop.com.cn</u>				
Product name:	Rabbit anti-PRDM7 Antibody			
Catalog:	DL96565A			
Synonyms:	PFM4; Probable histone-lysine N-methyltransferase			
	,		inger protein 7; PR	
	domain-contain	ing protein	/	
Immunogen:	Recombinant fu	11 length pr	otein of human PRDM7	
minunogen.	mmunogen: Recombinant full length protein of human PRDM7			
Form: Liquid		Concentr	ation: 1mg/mL	
1			6	
Size: 100 ul/50 ul		Host: Rabbit		
Reactivity: Human		Application: WB, IF/IC		
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),		
		IF/IC (1/5	0 - 1/100)	

Entrez Gene:	11105
SwissProt:	Q9NQW5
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of PRDM7 expression in HepG2 (A), mouse intestine (B), rat ovary (C) whole cell lysates.




IF/ICC description:

Immunofluorescent analysis of PRDM7 staining in A549 cells.

www.dldevelop.com



Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.

