


Manufacturor/Su	Manufacturer/Supplier:				
WUXI DONGLIN SCI&TECH DEVELOPMENT CO., LTD					
Address: A1-203 Mingpin CityII,No.8 Xihudong Road.Liangxi District					
Wuxi Jiangsu Province, China					
TELE: 86-510-82	2732223	FAX:	86-510-82720101-8014		
Web : <u>www.dldevelop.com</u>					
Email: info@dldevelop.com.cn service@dldevelop.com.cn					
Product name:	Rabbit anti-ACOX1 Antibody				
Catalog:	DL96590A				
c	22,00,011				
Synonyms:	ACOX: Derovis	omal acul o	oanzuma A oxidasa 1.		
Synonyms.	ACOX; Peroxisomal acyl-coenzyme A oxidase 1; AOX; Palmitoyl-CoA oxidase; Straight-chain				
	-		ase; Straight-chain		
	acyl-CoA oxida	se; SCOX			
Immunogen:	Recombinant full length protein of human ACOX1				
Form: Liquid		Concentration: 1mg/mL			
Size: 100 ul/50 ul		Host: Rab	bit		
Reactivity: Human, Mouse, Rat Applicati			on: WB, IHC		
Reactivity. Human, wouse, Rat		Аррисан	JII. WD, IIIC		
Clausiter Debuteral Dilations WD (1/500 1/2000)					
Clonality: Polyclonal		Dilution: WB (1/500 - 1/2000),			
		IHC (1/50	- 1/200)		

DEVELOP.

Entrez Gene:	51/11430/50681
SwissProt:	Q15067/Q9R0H0/P07872
Purification:	The antibody was purified by immunogen affinity chromatography.
Buffer:	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

WB description:

Western blot analysis of ACOX1 expression in NCIH460 (A), mouse liver (B), mouse kidney (C) whole cell lysates.



IHC description:

Immunohistochemical analysis of ACOX1 staining in mouse brain



formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Storage:

Store at -20°C. Avoid repeated freeze / thaw cycles.